

3 Hours

Total Marks = 80

Note:

- (i) Each question carries 20 marks
- (ii) Question 1 is compulsory
- (iii) Attempt **any three (3)** from the remaining questions
- (iv) Assume suitable data wherever required

Q1 Attempt **any four (4)** questions from the following [20]

- (a) Give PEAS description for a **Self Driving Car** agent. Characterize its environment.
- (b) Give the initial state, goal test, successor function, and cost function for the **Travelling salesman problem**
- (c) What will be the job of each of the components (Performance element, Learning element, Critic and problem generator) of learning agent?
- (d) Consider an 8 puzzle problem with the following initial state and goal state.

7	2	4
5		6
8	3	1
Initial State		

	1	2
3	4	5
6	7	8
Goal State		

- Generate successors at next two levels. Apply number of misplaced tiles as the heuristic function. Which successor nodes will be selected at each level if we apply Hill climbing algorithm?
- (e) Convert the following English sentence into predicate logic and then into CNF
“The culprit was tall and dark”

Q2 (a) Explain decision tree learning with an example. What are decision rules? How to use it for classifying new samples? [10]

- (b) Write first order logic equivalent of the following statements: [10]
 - (i) Anand likes only comedy films.
 - (ii) The culprit has to be one from Tinker, Tailor and Butler.
 - (iii) Whoever can read is literate.
 - (iv) Every child loves Santa.
 - (v) Some birds cannot fly.

Q3 (a) Design a classical planner for air cargo transportation problem using STRIPS. The problem involves loading, unloading cargo and flying it from place to place. Define three actions: Load, Unload and Fly. The actions affect two predicates: In(c, p) means that cargo c inside plane p, and At(x, a) means that object x (either plane or cargo) is at airport a. [10]

- (b) Give a formal definition of a Bayesian Belief Network (BBN). Illustrate the process of constructing a BBN with a suitable scenario. What type of inferences can be drawn from BBN network? [10]

Q4 (a) Compare **Breadth first search (BFS)**, **Depth first search (DFS)**, **Depth limited search (DLS)** and **Iterative Deepening search** algorithms based on performance measure with justification: Complete, Optimal, Time and Space complexity. PTO [10]

- (b) Write a pseudo code for alpha-beta algorithm. Apply alpha-beta pruning on example [10]

given in Figure 1 considering first node as max.




Figure 1

- Q5 (a) How will you convert the propositional logic statement into CNF? Give a suitable example at each step? [10]
- (b) Consider the graph given in Figure 2 below. Assume that the initial state is **S** and the goal state is **G**. Show how **A* Search** would create a search tree to find a path from the initial state to the goal state: [10]




Figure 2

At each step of the search algorithm, show which node is being expanded, and the content of fringe (OPEN). Also report the eventual solution found by the algorithm, and the solution cost. Assuming the straight-line distance as the heuristics function: $h(S)=13$, $h(A)=7$, $h(B)=9$, $h(C)=11$, $h(D)=2$, $h(E)=4$, $h(F)=1$, and $h(G)=0$.

- Q6 Answer any two (2) of the following [20]
- (a) What are the steps involved in natural language processing (NLP) of an English sentence? Explain with an example sentence.
- (b) Draw and describe each component in the Architecture of Expert System with a suitable example
- (c) Explain how Genetic algorithms work. Define the terms chromosome, fitness function, crossover and mutation as used in Genetic algorithms

Time: 3 Hours Marks: 80

N.B: Q.1 Compulsory. Solve any 4.

Q. 1 Summaries and find Plain text by decrypting cipher text "XVWG" using Hill Cipher Substitution technique .

KEY matrix →

$$\begin{bmatrix} 3 & 7 \\ 5 & 12 \end{bmatrix}$$

10

Q. 1 b) Consider a scenario where an intruder wants to access some valuable information from an ongoing communication. What security services should be implemented in system and which mechanism can be used to achieve those security services?

Q. 2 a) Encrypt " academic committee will meet today " using Playfair Cipher with Keyword "ROYAL ENFIELD"

10

Q. 2 b) Discuss CBC and OFB Block cipher Modes with examples.

10

Q. 3 a) If generator $g=2$ and n or $p=11$, using diffie Hellman algorithm, solve the following:

10

- i) Show that 2 is primitive root of 11
- ii) If A has public key 9, What is A's Private Key
- iii) If B has public key 3, What is B's Private Key
- iv) Calculate shared secret Key

Q. 3 b) Elaborate International Data Encryption Algorithm (IDEA) and its key generation?

10

Q. 4 a) Explain Digital Signature and Digital Certificate used for authentication

10

Q. 4 b) Calculate Cipher Text using RSA Algorithm for following data: Prime Numbers $P=7$, $Q=17$. Plain Text Message $M=10$. Find pair of keys and Cipher text (D,C and P).

Q. 5 a) Explain Hash Based Message Authentication Code. Give Example also.

10

Q. 5 b) Describe various types of Intrusion Detection System (IDS). What are Active and Passive IDS?

Q. 6 a) Convert given PT = (CA)₁₆ with Key (1011001101) using S-DES Algorithm.

Given- P10 (3,5,2,7,4,10,1,9,8,6) P4 (2,4,3,1)
 P8 (6,3,7,4,8,5,10,9) IP (2,6,3,1,4,8,5,7)
 E/P (4,1,2,3,2,3,4,1) IP⁻¹ (4,1,3,5,7,2,8,6)

S0=

1	0	3	2
3	2	1	0
0	2	1	3
3	1	3	2

S1=

0	1	2	3
2	0	1	3
3	0	1	0
2	1	0	3

Q. 6 b) Explain concept of key management along with its distribution system.

(3 Hours)

N.B: 1) Question **number 1** is compulsory.2) Attempt **any three** out of remaining.3) Assume suitable data if **necessary** and justify the assumptions.4) Figures to the **right** indicate full marks.

- 1 a) State whether unit step sequence is energy or power signal. Calculate Corresponding energy or average power as the case may be. [05]
- b) Perform convolution operation between given function in time domain if [05]

$$x(n) = \begin{cases} 2^{-n} & -2 \leq n \leq 2 \\ 0 & \text{otherwise} \end{cases}$$

$$h(n) = u(n+2) - u(n-2)$$
- c) Find the auto-correlation of the causal sequence $x(n) = \{2, 4, 6, 8\}$ [05]
- d) State the condition for stability of LTI system and determine for the given discrete time system [05]

$$h(n) = (2)^n u(n) + (0.5)^n u(n)$$
 is stable or not.
- 2 a) Determine whether or not the following signals are periodic. If periodic specify its fundamental period. [10]
 - i) $x_1(n) = \sin(0.2\pi n + 3)$
 - ii) $x_2(n) = \sin(0.5\pi n) + 5\cos(0.25n)$
- b) i) If $x(n) = \{3, 4, 0, 6\}$ Find DFT $X[k]$ [10]
 ii) Using results obtained in i) and not otherwise find DFT of following sequences
 $x_1(n) = \{6, 3, 4, 0\}$
- 3 a) Check whether following systems are [10]
 - i) Static or Dynamic
 - ii) Linear or Nonlinear
 - iii) Shift variant or Shift invariant
 - iv) Causal or Noncausal
 - i) $y(n) = n \cdot x^2(n)$
 - ii) $y(n) = 3x(n) + 5$
- b) For $x(n) = \{1, 2, -1, 5, 0, 4\}$, Plot the following discrete time signals [10]

$\uparrow$
 i) $x(n+3)$
 ii) $x(-n-2)$
 iii) $x(n) \cdot u(n-1)$
 iv) $x(n-2) \cdot \delta(n-2)$
 v) $x(2n)$
- 4 a) Find the DFT of the 8 point causal sequence using radix 2 DIT-FFT [10]

$$x(n) = \{2, 1, 2, 1, 1, 2, 1, 2\}$$
- b) Find the circular convolution of following causal sequences in time domain [05]

$$x_1(n) = \{1, 2, 5\}$$
 and $x_2(n) = \{4, 7\}$
 so that result of linear and circular convolution will be same.

- c) Compare 128 point DFT and Radix 2- DIT-FFT with respect to the number of complex additions and multiplications required. [05]
- 5 a) In a LTI system the input $x(n)=\{1, 1, 3\}$ and impulse response is $h(n)=\{2, 3\}$. Determine the response of LTI system using radix-2 DIT-FFT method. [10]
- b) Consider the 8 point sequence defined as $0 \leq n \leq 7$
 $x(n)=\{1, 2, 3, 0, 1, 2, 5, 2\}$ with a 8 point DFT. Evaluate the following function $X[k]$ without computing DFT
 $\sum |X[k]|^2$ [05]
- c) Determine 4 point DFT and sketch the magnitude of DFT $x(n)=\{1, 1, 0, 0\}$ [05]
- 6 a) Find Linear Convolution of following causal signals using overlap add method.
 $x(n)=\{1, 2, 0, 1, 2, 3, 1, 1, 2, 1, 0, 3\}$
 $h(n)=\{2, 2, 1\}$ [10]
- b) Write a detailed note on speech recognition. [05]
- c) Compare Microprocessor with Digital Signal Processor. [05]

Time: 3 Hours

Marks: 80

NB: Solve **any 04** of the following

- | | | |
|------|---|----|
| Q1 A | Explain need and structure of ERP. | 10 |
| B | Explain use of information technology in ERP | 10 |
| Q2 A | Discuss business process reengineering with an example. | 10 |
| B | Explain ERP implementation life cycle. | 10 |
| Q3 A | What is E-procurement? | 10 |
| B | Write a short note on Risks in ERP. | 10 |
| Q4 A | How will SCM benefit in News Paper distribution OR Fast Food supply .(exemplify only one scenario) | 10 |
| B | How is agility achieved in supply chain? | 10 |
| Q5 A | Explain Travelling Salesman problem in SCM. | 10 |
| B | What is SCOR model? | 10 |
| Q6 | Write short notes on any 02 | 20 |
| | a) Cloud and Open source ERP | |
| | b) Strategic decision making in SCM | |
| | c) Generic types of SCM | |
| | d) E-Business | |

40
12/10/2018

Paper / Subject Code: 42109 / Elective- II 6)ERP and Supply Chain Management (CMPN)
B.E Sem. VII (CBSSGS) Dec 2018

Time: 3 Hours

Marks: 80

NB: Solve any 04 of the following

- Q1 A Explain need and structure of ERP. 10
B Explain use of information technology in ERP 10
- Q2 A Discuss business process reengineering with an example. 10
B Explain ERP implementation life cycle. 10
- Q3 A What is E-procurement? 10
B Write a short note on Risks in ERP. 10
- Q4 A How will SCM benefit in News Paper distribution OR Fast Food supply .(exemplify only one scenario) 10
B How is agility achieved in supply chain? 10
- Q5 A Explain Travelling Salesman problem in SCM. 10
B What is SCOR model? 10
- Q6 Write short notes on any 02 20
a) Cloud and Open source ERP
b) Strategic decision making in SCM
c) Generic types of SCM
d) E-Business
-

52744

9D52F0F6A8FDAEC3592C926912087B55

(3 hours)

Marks:[80]

- N.B. 1. Question No. 1 is compulsory
2. Attempt any three out of remaining
3. Assume suitable data if necessary and justify the assumptions
4. Figures to the right indicate full marks

Q.1. (a) Explain unitary matrix. [05]

(b) Explain opening and closing operations in terms of dilation and erosion. [05]

(c) Explain zero memory operations. [05]

(d) Explain fundamental steps in Image Processing. [05]

Q.2. (a) Explain DCT and its properties. Find the DCT for the following image [10]

2	0	1	0
1	1	0	1
1	0	0	1
2	1	2	3

(b) What are the different types of redundancies in digital image? Give methods to remove those redundancies. [10]

Q.3. (a) Explain global processing via graph theoretic technique. Find the optimal path for the following image. [10]

2	2	7
2	7	5
0	1	5

(b) What is image segmentation? Explain the principles of and differences among the three basic approaches to region growing, region splitting and merging and thresholding. [10]

Q.4. (a) A digital image with 8 quantization level is given below. Perform Histogram equalization. [10]

$$f(x,y) = |x-y|$$

for $x=0$ to 7

$y=0$ to 7

(b) Justify/contradict the following statement :- [10]

- a) Enhancement process does not add any information to the image.
b) Shape number uniquely describes an object.

Q.5. (a) Find the Arithmetic codeword for the sequence a1a2a3a3 for the symbol a1 [10]
a2 and a3 with following frequencies :

Source Symbol	Frequency
a1	0.2
a2	0.4
a3	0.4

(b) State & prove symmetry & periodicity property of DFT. Explain basic difference between DFT and DCT. [10]

Q.6. Write short notes on (Any two) [20]

- Moments, Normalised moment and Central moments
- Fidelity criteria
- HSI color model
- Edge linking using Hough transform

135
10/12/2018
LC

(3 Hours)

Total Marks: 80

N.B : (1) Question No. 1 is compulsory
(2) Attempt any three questions out of remaining five.

1. (a) Describe the various soft computing characteristics. (05)
(b) Explain any five defuzzification techniques. (05)
(c) Explain the different types of activation functions. (05)
(d) With suitable example explain the concept of linear separability (05)

2. Design a fuzzy logic controller for a train approaching or leaving a station. The inputs are the distance from the station and speed of the train. The output is the amount of brake power used. Use four descriptors for each variable. Derive a set of rules for control action and appropriate defuzzification. The design should be supported by figures. Prove that when the train is nearer to station and speed is medium, the brake power used is high. (20)

- 3 (a) Explain how learning happens in unsupervised learning. Also write the algorithm of KSOFM. (10)

- (b) Consider R and S be fuzzy relations defined as follows (4)

$$\tilde{R} = \begin{bmatrix} 0.8 & 0.1 \\ 0.2 & 0.7 \\ 0.6 & 0.3 \end{bmatrix} \quad \tilde{S} = \begin{bmatrix} 0.2 & 0.4 & 0.3 \\ 0.9 & 0.5 & 0.1 \end{bmatrix}$$

Find the following fuzzy compositions

1. $\tilde{T} = \tilde{R} \circ \tilde{S}$

2. $\tilde{U} = \tilde{R} \cdot \tilde{S}$

- (c) $A = \{0.2/1 + 0.3/2 + 0.1/3 + 0.5/4 + 0.8/5 + 0.4/6 + 0.7/7\}$
 $B = \{0.1/1 + 0.8/2 + 0.6/3 + 0.4/4 + 0.7/5 + 0.1/6 + 0.9/7\}$ (6)

Find the following

1. $(\bar{A} \cap \bar{B})_{0.5}$

2. $\bar{B}'_{0.3}$

3. $(A \cap B)'_{0.7}$

4. $(A/B)_{0.4}$

5. $(A \cup B)$

6. $(\overline{B - A})$

4. (a) Comment on the following: (4)
For a bipolar binary neuron, the weight change formula for a perceptron training rule reduces to
$$\Delta w = \pm 2cx$$
- (b) Implement perceptron training rule for a network with the following data (6)
($X_1 = [2 \ 1 \ -1]$, $d_1 = -1$); ($X_2 = [0 \ -1 \ -1]$, $d_2 = 1$),
Initial weights: $W_1 = [0 \ 1 \ 0]$.
Repeat the training sequence (X_1, d_1), (X_2, d_2) until two correct responses in a row are achieved. Assume $c=1$ and $f(\text{net}) = \text{sgn}(\text{net})$.
- (c) Explain Genetic Algorithm in detail with the help of flowchart. (10)
5. (a) Explain Error Back Propagation Training Algorithm with the help of neat block diagram. (10)
- (b) What are hybrid systems? Explain Adaptive Neuro Fuzzy Inference system (ANFIS) with the help of example. (10)
6. (a) Explain the Newton's Methods of optimization in detail. (10)
- (b) Explain the Genetic-Neuro Hybrid Systems. Also mention its advantages and disadvantages (10)